# Approved for Release 2001/11/23: CIA-RDP81B00879R0001D0

APPENDIX A

Group I

25X1A1D The items listed below show the quantities of Spares required to bring up to 1/3 of Lot I, Westinghouse Drawing 1JC4660, Rev. F. Spares now at The asterisks denote those items recommended for procurement under the subject quotation. These recommended parts were selected on the basis that 1/2 of Lot II, Westinghouse Drawing 1JC4760, Rev. F will also be available for this program.

Westin	gnouse prawing 1904,00, nev. r. will also be		
ITEM'	NOMENCIATURE	PART NO.	QTY.
9	*Connector, Receptacle, Electrical	AN3102A-28-21S	1) 26734-RA
10	Lamp, Incandescent	AN3140-327	2 1
	Capacitor, Fixed, Mica Dialectric	CM20Cl02J	1
24	Resistor Fixed, Composition	RC2OGFLOOJ	1
<i>))</i>	Switch, Toggle	ST42A	1
24 35 38 44 75	Connector, Receptaçle, Electrical	1JA2290-2	1
44		1JB3911-1	1
75	Fan, Tubeaxial	1JC4718-13	2
87	Capacitor, Fixed, Paper Dielectric	1JC4718-7	ī
88	Capacitor, Fixed, Paper Dielectric	1JC4817-1	ī
r 89	Capacitor, Fixed, Electrolytic	2JC2779-48	ว็
91.1	Resistor, Variable, Composition	1JCl:860 <b>-</b> 5	Z6734 AM
94	*Relay, Armature		3
100	*Relay, Armature	1JC7820-4	ري ري
107	Electron Tube	12AT7WA	1.
130	Electron Tube	5687 <b>W</b> A	4
131.1	Electron Tube	5725/6AS6WA/6187	2
158	Resistor, Fixed, Composition	RC2OGF125J	T
160	Resistor, Fixed, Composition	RC2OGF153J	2
180.3	Rectifier, Metallic	2JC2965 <b>-</b> 2	1 2 5 1
1.84	Connector, Receptacle, Electrical	UGL192A/U	<u>+</u>
1.85	Connector, Receptacle, Electrical	UG657/U	
186	*Capacitor, Fixed, Paper Dielectric	CPO5ALEC104K	2 36734 RA
215	Switch, Push Pull	1JA38l <sub>1</sub> 2-1	1
220	Connector, Receptacle, Electrical	1JA4816-1	1
241	Capacitor, Fixed, Paper Dielectric	1JC1746-124	1
254	Gasket	1JC8334-1	1
257	AFC - IF Assembly	1JDl49l4 <b>1G1</b>	1
258	Signal Pre-Amplifier Ass'y.	1JD7416G1	1
259	Signal Post Amplifier	1JD7436G1	1 7
260	Electron Tube	2JC2962 <b>-</b> l	7
262.1		2JC2898-3	1
266	«Card, Resistance	2JA1169-1	(3)-6734-RA
270	Terminal, Lug	2JA4266-1	2
282	Waveguide	2JB3537G1	1
	Waveguide	2JB3538G1	1
283	Reactor	2JC2564 <b>-1</b>	1
300 270	Electron Tube	6098/6AR6WA	1
310	Electron Tube	2JC2340 <b>-</b> 1	3
312	Electron Tube	2JC2341-1	3 2 2
313		1JB3886-3	2
316.2		<b>1J</b> B3886 <b>-</b> 4	ī
317	Mount, Resilient	RC32GF102J	2
327	Resistor, Fixed, Composition	5654/6AK5W/6096	ī
343	Electron Tube	)	***

	ITEM	NOMENCLATURE	PART NO.	QTY.
	h1.1	Till - Area - Malan	5751WA	14
	344	Electron Tube	1JA7523-47	i
	357	Resistor, Fixed, Wire Wound	2JC2471-1 &	6734A 25 prs
	359 <b>-1</b>	*Crystal (Matched Pairs)	1JC7820-2	ويور ري (۱۹۰۰)
	367	Relay, Armature		Ť
	368.1	Molded Unit	LJD9037GL	 E
	369.1	Chopper, Electronic	1JC8183-2	1 5 3 4 3 2 5 2 5 2
	39 <b>1</b>	Nut, Plain, Hexagon	AN316-4R	) 1.
	392	Nut, Plain, Hexagon	AN340-2	4
	393	Nut, Plain, Hexagon	AN340-4	2
	397	Nut, Self-Locking, Hexagon	AN364-632A	<u>ک</u> س
	399	Nut, Self-Locking, Hexagon	AN365-1032A	5 /
	401.1	Nut, Self*locking, Hexagon	AN365-428A(Fin.FS4	9B) 2
	402	Nut, Self-Locking, Hexagon	AN365-440	6
	403	Nut, Self-Locking, Hexagon	AN365-440A	30 5
	404	Nut, Self-Locking, Hexagon	AN365-632	5
	405	Nut, Self-Locking, Hexagon	an365 <b>-6</b> 32a	35
	405	Nut, Self-Locking, Hexagon	an365-832	2
/	407	Nut, Self-Locking, Hexagon	AN365-832A	17
	408	Nut, Self-Locking, Plate	AN366F1032	1
)		Nut, Self-Locking, Plate	AN366F632	1
	409	Nut, Self-Locking, Plate	AN366F832	7
	410	Nut, Self-Locking, Phte	AN366F832A	1 7 1 2 1
	411		AN380-2-L	2
	412	Pin, Cotter	ANL-6A	ī
	413.1	Bolt, Machine	AN426AD3-10	$\bar{2}$
	7177	Rivet, Solid	AN426AD3-4	ลิ
	415	Rivet, Solid	ANL26AD3-5	2 8 8 3 3 6
	416	Rivet, Solid	AN420AD3=5 AN426AD3=6	3
	417	Rivet, Solid	AN426AD4-5	2
	4 <b>1</b> 8	Rivet, Solid		2
	419	Rivet, Solid	ANI 26ADI 6	2
	420	Rivet, Solid	ANI(26ADI)—7	2 2
	422	Rivet, Tubular	AN450C8AD6	2
	424	Rivet, Tubular	AN/150D8AD5	2 2 2
	425	Rivet, Solid	AN470AD3=4	2
	426	Rivet, Solid	AN470AD3-5	<u>ئے</u> 2
	427	Rivet, Solid	AN470AD3~8	5 2
	428	Rivet, Solid	ANL170ADL1—L1	2
	429	Rivet, Solid	AN470AD4-5	2
	430	Rivet, Solid	AN470AD4-6.	14
	431	Rivet, Solid	AN470A4-5	2
	432	· Rivet, Solid	anli70ali-6	2
	436	Screw, Machine	AN500-10-8	3
	437.1	Screw, Machine	AN505-2-7	14
	438	Screw, Machine	AN500-2-3	14
	439	Screw, Machine	AN500-2-5	4
	440	Screw, Machine	AN500=4=10	7† 7†
	441	Screw, Machine	AN500-4-12	4
	443	Screw, Machine	AN500=4-4	8
	7777	Screw, Machine	AN500-4-5	13
	444	Screw, Machine	AN500-4-6	10
	445	Screw, Machine	AN500-4-7	
	446		AN500-4-8	4 5 2
	447	Screw, Machine	AN500-416-10	2
	448	Screw, Machine	AN500-6-10	7
	450	Screw, Machine	AN500 <b>-6-1</b> 2	14
	451	Screw, Machine	VILOU-1-3	5
	442	Approved For Release 2001/11/23 : Cl	A-RDP81B00879R000100010076-1	
		•	Sheet	: 2 of 7

Sheet 2 of 7

ITEM	NOMENCIAT URE	PART NO.	QTY.
-	Charles Manager and Company of the C	AN500-6-3	
452	Screw, Machine	AN500~6~5	7
454	Screw, Machine	AN500-6-6	່າ
455	Screw, Machine	AN500-6-7	7
456	Screw, Machine Screw, Machine	AN500-6-8	7
457 461	Screw, Machine	AN500-8-5	2
461 462	Screw, Machine	AN500-8-6	27777255525412243257273112124322222
463	Screw, Machine	AN500-8-7	5
464	Screw, Machine	an500-8-8	5
465	Screw, Machine	AN501-10-10	2
466	Screw, Machine	AN501-10-12	5
468	Screw, Machine	AN501-10-18	4
469	Screw, Machine	AN501-10-6	1
470.1	Screw, Machine	AN501-10-24	2
472	Screw, Machine	AN505C3-4	ے ا
473	Screw, Machine	AN507=1032=8 AN507=420=8	3
474	Screw, Machine	AN507-440-10	2
475	Screw, Machine	AN507-440-3	รี
/ 476	Screw, Machine	AN507-440-4	7
¥ 477	Screw, Machine	AN507-440-5	ż
478	Screw, Machine Screw, Machine	AN507-440-6	7
479	Screw, Machine	AN507-440-8	3
481 482	Screw, Machine	AN507-440-9	1
483	Screw, Machine	AN507-832-10	l
484	Screw, Machine	AN507-632-12	2
486	Scnew, Machine	an507-632·5	1
487	Screw, Machine	an507-632-6	2
488	Screw, Machine	an507-632-8	4
489	Screw, Machine	AN507-832-8	3
490.1	Screw, Machine	AN507C440-12	2
492	Screw, Machine	AN515-2-6(Fin. FS49B on head)	2
494	Screw, Machine	AN515-4-12	2
495.1	Screw, Machine	AN515-4-18	2
496	Screw, Machine	ANS15-4-24	2
497	Screw, Machine	ANSIS-Li-Li	2
498	Screw, Machine	AN515-4-6(Fin. FS49B on hd) AN515-4-7	8
499	Screw, Machine	AN515-4-8	),
500	Screw, Machine	AN520-3-3	3
502	Screw, Machine Screw, Machine	AN520=3=6	2 8 4 3 1 1 4
503 504	Screw, Machine	AN526-1032-12	ĺ
505 <b>.</b> 1	Screw, Machine	AN526-1032-16	1
506	Screw, Machine	1JA8689H13	4
507.1	Screw, Machine	AN526-6-10(Fin. FS49B on hd)	1
509	Screw, Machine	AN526-6-8	2
510	Screw, Machine	AN526-632-10	4
511.	Screw, Machine	AN526-632-12	3
5 <b>1</b> 2	Screw, Machine	AN526-632-4	2
513	Screw, Machine	AN526-632-5	2
5 <b>1</b> ).	Screw, Machine	AN526-632-6	ラ 1,
515	Screw, Machine	an526-632-7 an526-632-8	), ),
5 <b>16</b>	Screw, Machine	AN526-832-10	<b>⁴</b>
517	Screw, Machine	ANT 26 - 832 - 7	7
519	Screw, Machine	AN526-832-8 I/23 : CIA-RDP81B00879R0001000100761	124322544373
520	Approved For Release 2001/1	I/23 : CIA-RDP81B008ั7ิ9ัRัั0ั00ั10ั00ั10076ู <sub>้ที่ใดย</sub> ่า	3 of 7
		Silcov	(

ITEM	NOMENCLATURE	PART NO.	QTY.
	Grommet, Rubber	AN931-6-10	1
528 500		AN931-8-13	1
529 523	Grommet, Rubber	AN935-10	<u>1</u> 6
533 531	Washer, Split	AN935-2	10
534 535	Washer, Split Washer, Split	AN935-2L	2
535 536	Washer, Split	AN935-3	10
533 534 535 536 537	Washer, Split	AN935-4	35
538	Washer, Split	AN935-4L	17
539	Washer, Split	AN935-416	2
540	Washer, Split	AN935-6	30
54 <b>1</b>	Washer, Split	AN935-716	2
542	Washer, Split	an935~8	50 3 5 17
543	Washer, Split	AN935-8L	3
544	Washer, Lock	AN936-A2	5
545	Washer, Lock	AN936-A4	
546	Washer, Lock	AN936A416	4
547	Washer, Lock	AN936A6	5
548	Washer, Lock	AN936A616	2
549	Washer, Lock	AN936A816	0
550	Washer, Lock	AN936A8	3
552	Washer, Lock	AN936A716	2
554	Washer, Lock	AN936B516	452832442
555	Washer, Lock	AN936B6	<u>μ</u>
556	Washer, Lock	AN936B616 AN960=10	10
558	Washer, Flat	AN960-2	8
559	Washer, Flat	AN960-4	25
560	Washer, Flat	AN960-4L	8
561	Washer, Flat	AN960=6	
563	Washer, Flat Washer, Flat	AN960-616L	30 2
564 565	Washer, Flat	AN960-8	50 6 26734-RA
567 <b>.1</b>	*Washer, Flat	306R155H01	6 26734-RO
568	Washer, Flat	AN960CLL	$\mathcal{I}_{4}$
5 <b>7</b> 0	Washer, Flat	AN960PDLL	<u>կ</u> 3
571	Washer, Flat	AN960PD416	3_
586.1	*Capacitor, Fixed, Mica Dielectric	CM15C331G	D 26734-RA
594	Capacitor, Fieed, Paper, Dielectric	CN2OAC2O2K	1
616	Capacitor, Fixed, Paper, Dielectric	CPO9AlkE473K	2 1
621	Capacitor, Fixed, Paper, Dielectric	CPO9AlKF472K	
633	Resistor, Fixed, Composition	RC2OGF101J	1 (2) \$6724 RA
638	*Resistor, Fixed, Composition	RC2OGF121J	1
660	Resistor, Fixed, Composition	RC20GF303J RC42GF333J	 1
703	Resistor, Fixed, Composition	1JA2374~33	1 2
738	Eyelet, Metallic	1JA2597-1	2
745	Terminal, Stud	1JA2597-2	lo
746	Terminal, Stud Terminal, Stud	1JA2597H20	3
748 750	Washer, Flat	1JA2631-15	1.5
750 751	Washer, Flat	1JA2631-17	5
755	Washer, Non Metallic	lJA2632-21	2
756	Washer, Non metallic	1JA2632-54	1.5 5 2 4
765	Nut, Plain, Hexagon	1JA2699-6	1
770	Nut, Self-Locking, Plate	<b>1</b> JA2715-9	2
783	Terminal, Lug	1JA2725-1	2 2 5 2
784	Terminal, Lug	1JA2725-4	5
785	Terminal, Lug	1JA2725-6	
807	Approved For Release 200/1/11/23: CIA-RDP81B0	008 <b>79RD9D809</b> 010076-1	2
		Chart le	£ 7

e sold

ITEM	NOMENCIATURE	PART NO.	QTY.
0-0	ar I of To T alabase Horrows	1JA2948-4	2
808	Nut, Self Locking, Hexagon	AN335B8	2
809.1	Nut, Self Locking, Hexagon		<u>~</u> '3
817	Washer,Sp <b>lit</b>	1JA2965-1	2
827	Jack, Tip	1JA3482-3	3
830	Jack, Tip	1JA34829	2
831	Screw, Machine	1JA3487-20	3 2 2 1
834	Resistor, Fixed, Wire Wound	1JA4264-34	1
8 <b>3</b> 9	*Switch, Toggle	1JA4280-2	D26734-KH
846	Terminal, Lug	1JA4493-8	2
	Terminal, Lug	1J/14493-11	2 2 3
847	_	1JA44193-12	3
848	Terminal, Lug	1JA4814-3	1026734 RA
849	*Fuse, Cartridge	1JA3812-1	5
833	Washer, Lock	1JAl <sub>1</sub> 81l <sub>4</sub> -4	(8241 (2673414
8 <b>50</b>	*Fuse, Cartridge		
853	%Fuse, Cartridge	1JA4814-20	₩ - "
919	*Connector, Receptacle, Electrical	1,104835-6	4
923	*Chopper, Electronic	1JC77կկ1	(T)
933	Lock, Connector	1JC8058-1	1 2
939	Molded Unit	1JD8851G1	
1009	*Dial Assembly, Control	2JB3857G <b>l</b>	126734-RIL
1021	*Resistor, Variable	2JC24081	(D) "
	*Resistor, Variable	2JC2408-3	(I)
1023		2JC2465-2	Q .
1031.1	Power Supply	2JC2719-1	1
1038	Crystal Unit, Rectifying	2JC2779-55	(2)26134-RA
1011	*Resistor, Variable	2003-2-22	7
1067	Wire, Copper (20 ft. long)	5727/2D21W	1 1 1
1073	Electron Tube		*** ***
1097	Wire, Electrical (100 ft. long)	9928-7BRN 22	ī
1098	Wire, Electrical (170 ft. long)	9928~7BLK 22	JL M
1099	Wire, Electrical (100 ft. long)	9928-7BLU 22	1
1101	Wire, Electrical (170 ft. long)	9928-7RED 22	1
1102	Wire, Electrical (170 ft. long)	9928-7GRN 22	1
1103	Wire, Electrical (70 ft. long)	9928-7GRY 22	
1104	Wire, Electrical (70 ft. long)	9928-7VLT 22	1
1105	Wire, Electrical (70 ft. long)	9928-7WHT 22	1
1106	Wire, Electrical (100 ft. long)	9928-7YLW 22	1
1125	Nut, Hexagon	AN341-6	2
	Screw, Machine	AN526-632-16	2
1147		AN526-632-9	2
1148	Screw, Machine	AN935B10	15
1152	Washer, Split	AN960-lol (Fin.FS49B	
1154	Washer, Flat	on side & edges	2
	·	AN960-416L(Fin.FS49B	4.0
1155.1	Washer, Flat		2
		one side & edges	<i>C</i>
1156	Washer, Flat	AN960-6 (Fin. FS49B	6
		one side & edges	6
1157	Washer, Flat	AN960-6L	2
1158	Washer, Flat	AN960C616L	2
1174	Terminal, Lug	1JA2680=2	3
1175	Nut, Plain, Hexagon	lJA2699-1.	5 2 3 2 2 3 1
1176	Nut, Plain, Hexagon	1 <b>J</b> A2699=12	2
1179	Terminal, Lug	1JA3728-1	3
1191.1	Resistor, Fixed, Film	1JA7878-17	
· ·	Valve, Pneumatic Tank	2JC2424-1	2
1207	Nut, Plain, Hexagon	AN3L1OGL	3
1222			
1231	Approved For Release 2001/11/23 : CIA-RDP8	IB00879R000100010076-1	· 7
		Suees 5 01	- 4

r find

ITEM	NOMENCLATURE	PART NO.	QTY.
1234 1253 1263 1266 1270 1287 1289 1318 1324 1329 1335	Nut, Self Locking Hexagon Clamp, Loop *Motor Gasket Seal, Plain, Encased Molded Unit B631. *Resistor, Fixed, Composition *Piston Ring (GLKM) *Piston Ring (GLKM) Discharge Valve (GLKM) Discharge Valve (GLKM)	AN365-1032 1JA7562-1 2JC4001-1 MS90064-1 1JA8690-4 1JD9095G1 RC20GF512J 205-181 205-179 204-345 204-355	6 26734 AP 2 6 1 26734 -RA 1 1
	-		

### Group II

These items are recommended for procurement under the subject quotation to support the installation of Modification Kits 1 through 27.

ITEM	NOMENCLATURE		PART NO.	QTY.
1 2 3 4 5 6 7 8 9 10 11	Connector Capacitor Resistor Resistor Capacitor Capacitor Resistor Resistor Rectifier Resistor Capacitor Resistor	Complete	AN3108B-18-4S CP09A3KB104K RC42GF511J RC42GF123J 1JC4828-54 1JC4825-42 RC32GF510J 2JC2806-H09 RC20GF471J CK61Y102Z CP09A1EF473K	2 26734-RA 2 26734-RA 2 2 2 2 2 2 2 2 2 2 2 2 2 2

### Group III

The following items are recommended for procurement to support the latest equipment changes as described in this proposal.

<del>1</del> <u>1</u>		rr		
ITEM	NOMENCIATURE		PART NO	QTY.
Ade 1 2 3 3 4 5 6 7 8 9 9	Signal Preamp Signal Post Amp Capacitor Capacitor Capacitor Resistor Resistor Resistor Resistor Potentiometer		603R328G01 603R329G01 CPOA1KF152K GPOA3KB104K 1JC4817H14 1JA8691H28 1JA8691H68 2JC2906-4 RD70P7150G	1 1 1 1 1 1
Se amer	Approved For Release 2001/	/11/23 · CIA-RDP81R0/		Sheet 6 of 7

Approved For Release 2001/11/23: CIA-RDP81B00879R000100010076-1

### Group III cont'd.

ITEM	NOMENCIATURE	PART NO.	QTY.
11	Potentiometer	2JC2779HQ7	1
12	Crystal (reversed pair)	2JC2741H02	15 pr.
13	Electron Tube	6CL6	4
1/1	Cathode Ray Tube	575R538H01	1
1). 15	Diode	2ЈС2806Н08	2
<u>1</u> 6	Diode	2ЈС3636НО3	4
17	Diode	IN251	2
18	Regulator	595R046G01	1
19	2KV Power Supply	575R5141H01	1
20	Coil	1JC8059H10	1
21	Co81	lJC8059Hl3	7
22	Coil	1JC8059HO1	$\sqrt{1}$
23	Connector	AN3106B-14S-5S	<u> </u>
24	Shockmount	575R329H0l	1 -
25	Shockmount	575R329H01	1